

LA
MINE
COLLECTION



ARCANA
CERAMICA

ARCANA
CERAMICA

LA
MINE
COLLECTION



La Mine Collection opens up new frontiers in the world of contemporary design. Composed of a selection of five different materials and aesthetics that evoke outstanding effects on the surfaces, the collection brings together unique pieces with a timeless nature that reflect the passage of time.

Every finish, every format, every appearance has been carefully selected to offer an innovative and fresh vision, where industrial materials celebrate the bold side of interior design. A stunning background punctuated with realistic graphics that create a modern industrial look with great character. In short, Le Mien reflects the creativity of putting together raw textures full of clever design details to cover any surface and take it to the next level.



Douai-R Níquel 32x99 cm
Scarpe-R Níquel 32x99 cm
Lens-R Plomo 59,3x59,3 cm
Marles-R Plomo 59,3x59,3 cm













Scarpe-R Plomo 32x99 cm
Scarpe-R Ceniza 32x99 cm
Lens-SPR Ceniza 60x120 cm





LENS SAND




Lens-R 60x120 cm
Lens-SPR 60x120 cm




Lens-R 80x80 cm
Lens-SPR 80x80 cm




Lens 60x60 cm
Lens-R 59,3x59,3 cm




Lens 30x60 cm
Lens-R 29,3x59,3 cm




Arques Mosaic
30x30 cm approx.



Bruay Mosaic
30x30 cm approx.



Avelin Mosaic
Avelin Mosaic-SPR
30x30 cm approx.



(1) Marles 60x60 cm
Marles-R 59,3x59,3 cm



(2) Auchel 30x60 cm

(1) This model has a special white ink.


(2) This reference is composed by different designs coming in the same box.

SPECIAL PIECES




Skirting tile

9,4x80 cm
9,4x60 cm
9,4x59,3 cm
9,4x30 cm
9,4x29,3 cm




Staircase step

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm




Angle Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Porcelain Tile




Lens-R Sand 60x120 cm / 23.6x47.2 inches	R. 040
Lens-SPR Sand 60x120 cm / 23.6x47.2 inches	R. 036
Lens-R Sand 80x80 cm / 31.5x31.5 inches	R. 031
Lens-SPR Sand 80x80 cm / 31.5x31.5 inches	R. 050
Lens Sand 60x60 cm / 23.6x23.6 inches	R. 049
Lens-R Sand 59,3x59,3 cm / 23.3x23.3 inches	R. 016
Marles Sand 60x60 cm / 23.6x23.6 inches	R. 051
Marles-R Sand 59,3x59,3 cm / 23.3x23.3 inches	R. 042
Lens Sand 30x60 cm / 11.8x23.6 inches	R. 048
Lens-R Sand 29,3x59,3 cm / 11.5x23.3 inches	R. 014
Auchel Sand 30x60 cm / 11.8x23.6 inches	R. 052
Arques Mosaic Sand 30x30 cm approx. / 11.8x11.8 inches approx.	R. 342
Bruay Mosaic Sand 30x30 cm approx. / 11.8x11.8 inches approx.	R. 334
Avelin Mosaic Sand 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344
Avelin Mosaic-SPR Sand 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344




Porcelain Tile

Lens-R Ceniza 60x120 cm / 23.6x47.2 inches	R. 040
Lens-SPR Ceniza 60x120 cm / 23.6x47.2 inches	R. 036
Lens-R Ceniza 80x80 cm / 31.5x31.5 inches	R. 031
Lens-SPR Ceniza 80x80 cm / 31.5x31.5 inches	R. 050
Lens Ceniza 60x60 cm / 23.6x23.6 inches	R. 049
Lens-R Ceniza 59,3x59,3 cm / 23.3x23.3 inches	R. 016
Marles Ceniza 60x60 cm / 23.6x23.6 inches	R. 051
Marles-R Ceniza 59,3x59,3 cm / 23.3x23.3 inches	R. 042
Lens Ceniza 30x60 cm / 11.8x23.6 inches	R. 048
Lens-R Ceniza 29,3x59,3 cm / 11.5x23.3 inches	R. 014
Auchel Ceniza 30x60 cm / 11.8x23.6 inches	R. 052
Arques Mosaic Ceniza 30x30 cm approx. / 11.8x11.8 inches approx.	R. 342
Bruay Mosaic Ceniza 30x30 cm approx. / 11.8x11.8 inches approx.	R. 334
Avelin Mosaic Ceniza 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344
Avelin Mosaic-SPR Ceniza 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344


LENS CENIZA



Arques Mosaic
30x30 cm approx.



Bruay Mosaic
30x30 cm approx.



Avelin Mosaic
Avelin Mosaic-SPR
30x30 cm approx.



(1) Marles 60x60 cm
Marles-R 59,3x59,3 cm

(2) Auchel 30x60 cm

(1) This model has a special white ink.

(2) This reference is composed by different designs coming in the same box.

SPECIAL PIECES



Skirting tile

9,4x80 cm
9,4x60 cm
9,4x59,3 cm
9,4x30 cm
9,4x29,3 cm



Staircase step

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Angle Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm

LENS NIQUEL



Lens-R 60x120 cm
Lens-SPR 60x120 cm



Lens-R 80x80 cm
Lens-SPR 80x80 cm



Lens 60x60 cm
Lens-R 59,3x59,3 cm




Lens 30x60 cm
Lens-R 29,3x59,3 cm



Arques Mosaic
30x30 cm approx.




Bruay Mosaic
30x30 cm approx.



(1) Marles 60x60 cm
Marles-R 59,3x59,3 cm



(2) Auchel 30x60 cm



Avelin Mosaic
Avelin Mosaic-SPR
30x30 cm approx.



SPECIAL PIECES



Skirting tile

9,4x80 cm
9,4x60 cm
9,4x59,3 cm
9,4x30 cm
9,4x29,3 cm



Staircase step

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Angle Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Porcelain Tile

Lens-R Níquel 60x120 cm / 23.6x47.2 inches	R. 040
Lens-SPR Níquel 60x120 cm / 23.6x47.2 inches	R. 036
Lens-R Níquel 80x80 cm / 31.5x31.5 inches	R. 031
Lens-SPR Níquel 80x80 cm / 31.5x31.5 inches	R. 050
Lens Níquel 60x60 cm / 23.6x23.6 inches	R. 049
Lens-R Níquel 59,3x59,3 cm / 23.3x23.3 inches	R. 016
Marles Níquel 60x60 cm / 23.6x23.6 inches	R. 051
Marles-R Níquel 59,3x59,3 cm / 23.3x23.3 inches	R. 042
Lens Níquel 30x60 cm / 11.8x23.6 inches	R. 048
Lens-R Níquel 29,3x59,3 cm / 11.5x23.3 inches	R. 014
Auchel Níquel 30x60 cm / 11.8x23.6 inches	R. 052
Arques Mosaic Níquel 30x30 cm approx. / 11.8x11.8 inches approx.	R. 342
Bruay Mosaic Níquel 30x30 cm approx. / 11.8x11.8 inches approx.	R. 334
Avelin Mosaic Níquel 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344
Avelin Mosaic-SPR Níquel 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344



Porcelain Tile

Lens-R Plomo 60x120 cm / 23.6x47.2 inches	R. 040
Lens-SPR Plomo 60x120 cm / 23.6x47.2 inches	R. 036
Lens-R Plomo 80x80 cm / 31.5x31.5 inches	R. 031
Lens-SPR Plomo 80x80 cm / 31.5x31.5 inches	R. 050
Lens Plomo 60x60 cm / 23.6x23.6 inches	R. 049
Lens-R Plomo 59,3x59,3 cm / 23.3x23.3 inches	R. 016
Marles Plomo 60x60 cm / 23.6x23.6 inches	R. 051
Marles-R Plomo 59,3x59,3 cm / 23.3x23.3 inches	R. 042
Lens Plomo 30x60 cm / 11.8x23.6 inches	R. 048
Lens-R Plomo 29,3x59,3 cm / 11.5x23.3 inches	R. 014
Auchel Plomo 30x60 cm / 11.8x23.6 inches	R. 052
Arques Mosaic Plomo 30x30 cm approx. / 11.8x11.8 inches approx.	R. 342
Bruay Mosaic Plomo 30x30 cm approx. / 11.8x11.8 inches approx.	R. 334
Avelin Mosaic Plomo 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344
Avelin Mosaic-SPR Plomo 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344


LENS PLOMO



Lens-R 60x120 cm
Lens-SPR 60x120 cm




Lens-R 80x80 cm
Lens-SPR 80x80 cm




Lens 60x60 cm
Lens-R 59,3x59,3 cm




Lens 30x60 cm
Lens-R 29,3x59,3 cm



Arques Mosaic
30x30 cm approx.



Bruay Mosaic
30x30 cm approx.



(1) Marles 60x60 cm
Marles-R 59,3x59,3 cm



(2) Auchel 30x60 cm



Avelin Mosaic
Avelin Mosaic-SPR
30x30 cm approx.



(1) This model has a special gray metallic ink.

(2) This reference is composed by different designs coming in the same box.

SPECIAL PIECES



Skirting tile

9,4x80 cm
9,4x60 cm
9,4x59,3 cm
9,4x30 cm
9,4x29,3 cm



Staircase step

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Angle Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm

LENS COBRE

Lens-R 60x120 cm
Lens-SPR 60x120 cm

Lens-R 80x80 cm
Lens-SPR 80x80 cm

Lens 60x60 cm
Lens-R 59,3x59,3 cm

Lens 30x60 cm
Lens-R 29,3x59,3 cm

Arques Mosaic
30x30 cm approx.

Bruay Mosaic
30x30 cm approx.

Avelin Mosaic
Avelin Mosaic-SPR
30x30 cm approx.

(1) Marles 60x60 cm
Marles-R 59,3x59,3 cm

(2) Auchel 30x60 cm

(1) This model has a special gray metallic ink.

(2) This reference is composed by different designs coming in the same box.

SPECIAL PIECES



Skirting tile

9,4x80 cm
9,4x60 cm
9,4x59,3 cm
9,4x30 cm
9,4x29,3 cm



Staircase step

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm



Angle Gradone

33x120 cm
33x80 cm
60x60 cm
59,3x59,3 cm
30x60 cm
29,3x59,3 cm




Porcelain Tile


Lens-R Cobre 60x120 cm / 23.6x47.2 inches	R. 040
Lens-SPR Cobre 60x120 cm / 23.6x47.2 inches	R. 036
Lens-R Cobre 80x80 cm / 31.5x31.5 inches	R. 031
Lens-SPR Cobre 80x80 cm / 31.5x31.5 inches	R. 050
Lens Cobre 60x60 cm / 23.6x23.6 inches	R. 049
Lens-R Cobre 59,3x59,3 cm / 23.3x23.3 inches	R. 016
Marles Cobre 60x60 cm / 23.6x23.6 inches	R. 051
Marles-R Cobre 59,3x59,3 cm / 23.3x23.3 inches	R. 042
Lens Cobre 30x60 cm / 11.8x23.6 inches	R. 048
Lens-R Cobre 29,3x59,3 cm / 11.5x23.3 inches	R. 014
Auchel Cobre 30x60 cm / 11.8x23.6 inches	R. 052
Arques Mosaic Cobre 30x30 cm approx. / 11.8x11.8 inches approx.	R. 342
Bruay Mosaic Cobre 30x30 cm approx. / 11.8x11.8 inches approx.	R. 334
Avelin Mosaic Cobre 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344
Avelin Mosaic-SPR Cobre 30x30 cm approx. / 11.8x11.8 inches approx.	R. 344




DOUAI SAND



Douai-R 32x99 cm



Scarpe-R 32x99 cm



(1) Calais-R 32x99 cm


(1) This model has a special white ink.



Wall Tile White Body

Douai-R Sand 32x99 cm / 12.6x39 inches	R. 023
Scarpe-R Sand 32x99 cm / 12.6x39 inches	R. 021
Calais-R Sand 32x99 cm / 12.6x39 inches	R. 042


DOUAI CENIZA



Douai-R 32x99 cm



Scarpe-R 32x99 cm



(1) Calais-R 32x99 cm

(1) This model has a special white ink.



Wall Tile White Body

Douai-R Ceniza
32x99 cm / 12.6x39 inches

R. 023

Scarpe-R Ceniza
32x99 cm / 12.6x39 inches

R. 021


Calais-R Ceniza
32x99 cm / 12.6x39 inches

R. 042


DOUAI NIQUEL



Douai-R 32x99 cm



Scarpe-R 32x99 cm



(1) Calais-R 32x99 cm

(1) This model has a special gray metallic ink.




Wall Tile White Body

Douai-R Níquel 32x99 cm / 12.6x39 inches	R. 023
Scarpe-R Níquel 32x99 cm / 12.6x39 inches	R. 021
Calais-R Níquel 32x99 cm / 12.6x39 inches	R. 042


DOUAI PLOMO



Douai-R 32x99 cm



Scarpe-R 32x99 cm



(1) Calais-R 32x99 cm

(1) This model has a special gray metallic ink.



Wall Tile White Body

Douai-R Plomo
32x99 cm / 12.6x39 inches

R. 023

Scarpe-R Plomo
32x99 cm / 12.6x39 inches

R. 021

Calais-R Plomo
32x99 cm / 12.6x39 inches

R. 042

PACKING LIST

DOUAI

									
		PIECES / BOX	M² / BOX	ML / BOX	KG / BOX	BOX / PALLET	M² / PALLET	ML / PALLET	KG / PALLET
32 x 99 cm / 12,6" x 39"	Douai-R / Scarpe-R / Calais-R	4	1,27	-	24,20	44	55,75	-	1064,80

LENS

									
		PIECES / BOX	M² / BOX	ML / BOX	KG / BOX	BOX / PALLET	M² / PALLET	ML / PALLET	KG / PALLET
BASES	29,3 x 59,3 cm / 11,5" x 23,3"	7	1,22	-	22,80	40	48,64	-	912
	30 x 60 cm / 11,8" x 23,6"	7	1,26	-	23,60	40	50,40	-	944
	59,3 x 59,3 cm / 23,3" x 23,3"	4	1,41	-	28,03	36	50,62	-	1009,08
	60 x 60 cm / 23,6" x 23,6"	4	1,44	-	28,70	36	51,84	-	1033,20
	80 x 80 cm / 31,5" x 31,5"	2	1,28	-	32,90	36	46,08	-	1184,40
	60 x 120 cm / 23,6" x 47,2"	2	1,44	-	36,13	24	34,56	-	867
	30 x 30 cm / 11,8" x 11,8" Mosaics	12	1,08	-	20,30	30	32,40	-	608,85
	9,4 x 29,3 cm / 3,7" x 11,5" Skirting tile R.310	40	-	11,72	20,63	64	-	750,08	1321,60
	9,4 x 30 cm / 3,7" x 11,8" Skirting tile R.308	40	-	12	21,15	64	-	768	1353,60
	9,4 x 59,3 cm / 3,7" x 23,3" Skirting tile R.321	20	-	11,86	22,29	56	-	664,16	1248,24
	9,4 x 60 cm / 3,7" x 23,6" Skirting tile R.318	20	-	12	22,5	56	-	672	1260
	9,4 x 80 cm / 3,7" x 31,5" Skirting tile R.328	15	-	12	21,6	54	-	648	1166,40
	29,3 x 59,3 cm / 11,5" x 23,3" Staircase step R.346	7	-	4,15	22,80	40	-	166,04	912,08
	30 x 60 / 11,8" x 23,6" Staircase step R.343	7	-	4,20	23,60	40	-	168	944
	59,3 x 59,3 cm / 23,3" x 23,3" Staircase step R.347	4	-	2,37	28,03	36	-	85,39	1009,01
	60x 60 cm / 23,6" x 23,6" Staircase step R.346	4	-	2,40	28,70	36	-	86,40	1033,20
	33 x 80 cm / 13" x 31,5" Staircase step R.349	1	-	0,8	7	30	-	24	210
	33 x 120 cm / 13" x 47,2" Staircase step R.362	1	-	1,20	10	40	-	48	400
	29,3 x 59,3 cm / 11,5" x 23,3" Gradone R.354	3	-	1,78	12,09	-	-	-	-
	30 x 60 / 11,8" x 23,6" Gradone R.354	3	-	1,8	12,54	-	-	-	-
	59,3 x 59,3 cm / 23,3" x 23,3" Gradone R.360	2	-	1,18	15,31	-	-	-	-
	60x 60 cm / 23,6" x 23,6" Gradone R.354	2	-	1,2	15,94	-	-	-	-
	33 x 80 cm / 13" x 31,5" Gradone R.356	1	-	0,8	7	-	-	-	-
	33 x 120 cm / 13" x 47,2" Gradone R.363	1	-	1,2	13	-	-	-	-
	29,3 x 59,3 cm / 11,5" x 23,3" Angle gradone	2	-	1,2	9,46	-	-	-	-
	30 x 60 / 11,8" x 23,6" Angle gradone	2	-	1,19	9,12	-	-	-	-
	59,3 x 59,3 cm / 23,3" x 23,3" Angle gradone	1	-	0,59	8,36	-	-	-	-
	60x 60 cm / 23,6" x 23,6" Angle gradone	1	-	0,6	9,14	-	-	-	-
	33 x 80 cm / 13" x 31,5" Angle gradone	1	-	0,8	7	-	-	-	-
	33 x 120 cm / 13" x 47,2" Angle gradone	1	-	1,2	13	-	-	-	-

FIXING AND MAINTENANCE

IMPORTANT NOTE

Technical specifications are only valid for those products classified as first choice. Consequently, any failure to conform to such standards with respect to all other commercial types shall not be considered as grounds for complaint. ARCANIA CERAMICA S.A. does not accept any claim of responsibility for tiles that have not been fixed and/or maintained following the manufacturer's recommendations.

PORCELAIN TILE

Characteristics : Product with very low water absorption, high mechanical performance, chemical and frost resistance. It is suitable whether for using on interior or exterior floors of residential and commercial buildings. Special pieces normally employed are skirting tile, staircase step and gradone.

FIXING

- Ensure that the size, shade, colour and quality of the material is that of what was expected.
 - Mix pieces from several boxes to achieve a uniformed mixture.
 - If the material is porcelain, there is no need to submerge the tile in water as there is no absorption.
 - The surface to be tiled on must be flat, rigid, absorbent, textured, cohesive, dry and clean of dust and dirt.
 - Any additional layers such as water proofing, levellers, sound proofing, under floor heating must be taken into account when choosing the correct adhesive.
 - Recommended adhesives for porcelain tiles are those with C1 or C2 (UNE-EN 12004) features with a high adherence, indeformable, and high resistance to water. Adhesives for products with low or zero absorption.
 - The adhesives used for wall tiles should be selected according to the substructure and the external environment of where it is being used. Wall tiles that are absorbent can be fixed by all different tile fixing methods.
 - We recommend the Thin Layer Method of tile installation. The C1 or C2 adhesive should be spread uniformly with a metal trowel that is suited to the tile size. With the Single Thin Layer Method, adhesive is only applied to the surface of where the tile is to be fixed. With the Double Thin Layer Method, adhesive must be applied to both the rear side of the tile as well as the surface of where the tile is to be fixed. This method is recommended for tiles that are greater than 40x40cm, in areas of high pedestrian traffic, façades, in exteriors and always when fixing porcelain tiles.
 - Read and follow the instructions of the adhesive manufacturer with regards to amount of water needed to mix the adhesive and time in which it must be used.
 - Use a trowel with uniform teeth.
 - Do not fix under any circumstances using the Dot and Dab Method of fixing. It is highly important that a uniform spread of adhesive is used over the entire tile. It is also recommended to use guides or spacers between the tiles (spacers of 1.5mm to 5mm are available on the market) which can be used to facilitate the uniform separation of the tiles.
 - Tile fixing or grouting should not be carried out when temperatures are below 5°C and caution has to be followed when temperatures are above 30°C due to the fast drying times of the adhesive.
 - Do not walk on floor tiles during the drying time of the adhesive. It is recommended to wait for at least 48-72 hours before walking or applying any weight on the tiles.
- Clean and vacuum the spaces between the tiles before grouting.
- Interlocked laying (maximum 15%)
 - Strict observance of the 1.5mm minimum joint between floor tiles is essential, with a wider joint being recommended for medium and large formats, thus allowing absorption of the differential pressure produced in the multi-layer floor/adhesive/tile system.

MAINTENANCE

During fixing:

Once the tiles have been fixed, it will be necessary to provide adequate protection against possible damage during subsequent building work, covering them with cardboard, thick plastic or a layer of sawdust.

Cleaning after fixing:

Residues remaining after work completion can be easily removed with a commercial detergent or an acid-based one, always considering the chemical resistance indicated by the manufacturer.

When using cleaning products the following general considerations should be taken into account:

- Acid cleaning should never be carried out on recently laid floor tiles. The reaction of the acid with the unset cement may damage the joints or deposit insoluble compounds on the surface.
- It is recommended to soak the surface with clean water before using any chemical agent. This prevents the grouts from absorbing these agents. Clean the surface with water immediately after the treatment to remove any remain of the chemical products.
- Trowels and abrasive scourers must not be used. The use of sponges is strongly recommended, especially natural ones.
- The fixing by a professional tiler is highly recommended for getting the best performance.

Routine care:

Daily cleaning of stoneware tiles is particularly simple, it only requires clean water to which an alkaline base cleaner may be added.

The use of waxes, oils or similar products is not recommended since the non-porous glazed surface prevents from a correct application.

It may occasionally occur that stains cannot be fully removed with a commercial detergent, making necessary to use solvents or specific cleaning agents. It is recommended to firstly check the chemical resistance of the tile and, as an extra precaution, test in a clean, spare tile or in non-visible area.

Important:

Hand-painted ceramic wall tiles or complementary pieces on third and fourth firing must be treated with extreme care during both the fixing and subsequent cleaning, as well as during ordinary routine cleaning. The use of pure or diluted acids, detergents or other corrosive products will seriously harm their original look.

THICKNESS

DOUAI

Bill Annex L

WALL TILE WHITE BODY

SINGLE-FIRING
32x99 cm. / 12,6"x39"
11

LENS

Bla Annex G

PORCELAIN TILE

29,3x59,3 cm. 11,5"x23,3"	30 x 60 cm. 11,8" x 23,6"	59,3x59,3 cm. 23,3"x23,3"	60 x 60 cm. 23,6" x 23,6"	80x80 cm. 31,5"x31,5"	60 x 120 cm. 23,6" x 47,2"
8,2	8,2	9	9	11	11

TECHNICAL DATA

Technical Characteristics Características técnicas	Bla anexo G	Bill anexo L	Reference standard Norma de referencia
Manufacture process Proceso de fabricación	Single-firing Monococción		Dry pressed ceramic tile Baldosa cerámica prensada en seco
Length, width, thickness, side straightness, orthogonality, flatness. Longitud, anchura, espesor, rectitud de los lados, ortogonalidad, planitud.	Conforms to the requisites applicable to each model as defined in standard UNE-EN 14411 Cumple con los requisitos aplicables a cada modelo definidos en la norma UNE-EN 14411		UNE EN ISO 10545 Part 2 / Parte 2
Water absorption Absorción de agua	E < 0,5 %	E > 10 %	UNE EN ISO 10545 Part 3 / Parte 3
Flexion resistance N/sq. mm. and breaking strength Resistencia a la flexión (N/mm.2) y fuerza de rotura (N)	> 35 > 1300	> 15 > 600	UNE EN ISO 10545 Part 4 / Parte 4
Resistance to surface abrasion (Glazed tiles) Resistencia a la abrasión superficial (Baldosas esmaltadas)	Please check for each item A consultar según modelo.	•	UNE EN ISO 10545 Part 7 / Parte 7
Slip resistance Resistencia al deslizamiento	Please check for each item A consultar según modelo.	•	DIN 51130
Lineal thermic dilatation Dilatación térmica lineal	< 9*10⁻⁶/° C	< 7*10⁻⁶/° C	UNE EN ISO 10545 Part 8 / Parte 8
Thermic impact resistance Resistencia al choque térmico	It stands the test Resiste la prueba		UNE EN ISO 10545 Part 9 / Parte 9
Expansion due to moisture Expansión por humedad	•	< 0,6 %	UNE EN ISO 10545 Part 10 / Parte 10
Cracking resistance Resistencia al cuarteo	It stands the test Resiste la prueba		UNE EN ISO 10545 Part 11 / Parte 11
Frost resistance Resistencia a la helada	It stands the test Resiste la prueba	•	UNE EN ISO 10545 Part 12 / Parte 12
Chemical resistance Resistencia química Domestic cleaning products Productos de limpieza doméstica Swimming pool salt Sales para piscina Acids and bases (low concentration) Ácidos y bases (baja concentración)	Type GA Clase GA Type GA Clase GA Minimum Type GLB Mínimo Clase GLB		UNE EN ISO 10545 Part 13 / Parte 13
Stains resistance Resistencia a las manchas	Minimum Type 4 Mínimo Clase 4		UNE EN ISO 10545 Part 14 / Parte 14



ARCANA CERAMICA S.A.

RESERVES THE RIGHT TO DELETE AND AMEND, EITHER TOTALLY OR PARTIALLY,
ANY OF THE STYLES, COLOURS, SHADE, SIZES, REFERENCES AND OTHER TECHNICAL
SPECIFICATIONS CONTAINED IN THIS CATALOGUE WITHOUT PRIOR NOTICE.

THE TOTAL OR PARTIAL REPRODUCTION OF THIS CATALOGUE WITHOUT PRIOR
WRITTEN AUTHORIZATION FROM ARCANA CERAMICA, S.A. IS STRICTLY PROHIBITED.

THE COLOURS SHOWN IN THIS CATALOGUE ARE FOR GUIDANCE ONLY.

www.arcanatiles.com

ARCANA
CERÁMICA



ARCANA CERÁMICA S.A.

Ctra. Castellón km. 23,6 - 12110

ALCORA (Castellón - Spain)

Tel.: (+34) 964 36 70 22

Fax: (+34) 964 36 70 30

arcana@arcanatiles.com

www.arcanatiles.com